

Radio Control Systems

CB.001	27MHz AM Futaba-K Bits Attack 2ER, 2 channel Tx,Rx & 1 servo Includes 8 rechargeable NiCd cells and xtals.	47.50
CB.002	27MHz AM Hitec-K Bits Ranger 2Z , 1 servo Includes 8 rechargeable NiCd cells and xtals.	44.00
CB.003	40MHz AM Futaba-K Bits Attack 2ER, 2 channel Tx,Rx & 1 servo Includes 8 rechargeable NiCd cells and xtals.	47.50
CB.004	40MHz FM Futaba-K Bits Skysport 4ch Tx, Rx, nicads & charger Customized for Yachting by K Bits .. Most popular FM system	114.95
CB.005	40MHz FM Hitec-OPTIC FM syth' 6 channel, ATV's Epos NO Tx xtals required, just dial Freq'	119.95
CB.006	40MHz FM Hitec-K Bits 3ch Eclipse Pro Car , 20 yacht memory, digit trims, expo,auto dual rates, servo reverse, BEC, Tx NiCad & charger.	145.00
CB.007	40MHz FM Futaba 6EXAP computer system 6 model memory, digital 'New' Expo, dual rates servo reverse 1 servo Tx NiCd & charger	145.00
CB.006a	Futaba 3GR combo. 3 ch FULLY synthesized Tx and RX 'New' Does PPM or HRS (enhances DIGITAL servo performance) 'New' NO XTALS required!!! All 34, 40MHz spots in one box! 'New' The ultimate in value and performance Customized by K Bits with Tx mods and Tx NiCd.	140.00
CB.008	40MHz Futaba-K Bits 3VCS computer Radio, 3Ch 'The Ultimate Yac System. 10 boat memory expandable to 20 with campac , PCM,PPM,HRS ATV,ATL, Exponential and digital trims. Supplied with 3ch micro PCM Rx, Tx NiCad and dual charger. <i>Comes with K. Bits software programming.</i>	339.95
CB.009	16K Campac memory module for 3VC giving a further 8 model memories so combined Tx and campac gives 16 in total. It also provides a 'backup' and the ability to transfer settings from one Tx to another.	48.75
CB.010	Hitec 40MHz module	21.95
CB.008	40MHz Module for 3VC	69.95
CB.011	40MHz Hitec Syn'th Module for 3VC/Optic 6	59.95
CB.012	Spectrum DSM module and receiver	164.95
CB.013	Spektrum DX6 6 channel SYSTEM DSM 2.4GHz system 'New' includes two stick Tx and 6 ch DSM Rx	159.50

note: To ensure you get the very best from your R/C system both the hardware and software are customized by K Bits for Yachting. Ask for details

Receivers

RX.001	27MHz AM Futaba 2ch receiver ref: R122JE weight 16.8g dimensions 46 x 31.5 x 25mm current drain 32ma	17.95
RX.001a	27MHz AM Hitec 2ch receiver ref: HT502 weight 28g dimensions 53 x 35 x 19mm	14.65
RX.001b	40MHz AM Hitec 2ch receiver ref: HT502 weight 28g dimensions 53 x 35 x 19mm	14.65
RX.002	40 MHz AM Futaba 2ch receiver ref: R122JE weight 16.8g dimensions 46 x 31.5 x 25mm current drain 32ma	17.95
RX.002a	40MHz FM Futaba 6ch receiver ref: R-136F weight 30g, current drain 11ma, dimensions 50 x 32 x 20.5mm	34.95
RX.003	40MHz FM Futaba 3ch 153F micro receiver, weight 19g, current drain 11ma, short aerial, dimensions 42.7 x 28.7 x 16mm	39.95
RX.004	40MHz PCM Futaba 3ch micro receiver R113iP, weight 21g, current drain 17ma, short aerial, dimensions 42.7 x 28.7 x 16mm Failsafe and glitch free operation. As supplied with 3VC	79.95
RX.004a	40MHz R203HF HRS receiver , 3ch DIGITAL servos/winches only	79.95
RX.004b	Futaba Syth'sd 40MHz 3ch receiver R303FHS PPM + HRS No xtals required.	79.95
RX.005	40MHz FM Futaba 4ch R114F super micro receiver Weight only 10.9g designed for short range applications. OK for yachts. Aerial length and position in boat slightly more critical. However an excellent low cost receiver.	28.95
RX.006	40MHz FM Hitec 3ch micro receiver ref: HFS03MM	28.50
RX.006a	40MHz FM Hitec 3ch failsafe receiver ref HIS03MK	32.50
RX.010	Spektrum DSM 3ch receiver	79.95
RX.011a	Spektrum Rx voltage regulator' 'New'	5.75
RX.012	Spektrum AR 6000 6ch dual receiver for DX6-7 'New'	44.95
RX.012a	Spektrum BR 6000 6ch dual 'all ch' failsafe receiver for DX6-7 'New'	44.95

Winches

WH.001	Futaba arm winch P-S3802 Torque 11.0 Kg/cm, Speed 0.62sec/60deg, weight 65g, dimensions 45.5 x 23 x 42.3mm, 6.0volt Throw adjustment Tx ATV or mechanical (radius of arm) Suitable for small yachts up to 36 inch (36R)	46.95
WH.002	Futaba arm winch ref: P-S3801 , torque 14.0Kg/cm, speed .26sec/60deg, dimensions 59 x 29 x 50mm, 6.0 volt, weight 107g Throw adjustment Tx ATV or mechanical (radius of arm) Suitable for small yachts up to One Metre	46.95
WH.002a	Hitec arm winch ref: HS-765HB , torque 13.2kg/cm, speed 0.23 sec /60 deg. Size 59 x 29 x 52mm weight 102g Throw adjustment Tx ATV or mechanical (radius of arm) Suitable for small yachts up to One Metre	24.95
WH.003	Futaba Drum winch ref: S5801 . Torque 9.8kg/cm, speed 0.5sec/360 deg, weight 83g, 6.0 - 7.2 volt (battery direct to winch) Dimensions 46 x 25 x 44mm. Throw adjustment by integral pot' giving 2 -6 turns. Superb positional accuracy and speed. Now with upgraded motor . Yacht classes, One Metre, RM, etc.	114.95
WH.004	Hitec drum winch ref: HS-785 HB , Torque 14.5Kg/cm, Speed 1.13sec/360deg, 6.0 volt, 4 turns approx depending on Tx Yacht classes, One Metre, RM, 10 Rater and 6 metre	29.95
WH.005	Hitec adjustable drum winch ref: HS-785 HB , Torque 14.5Kg/cm, Speed 1.13sec/360deg, 6.0 volt, Modified by K. Bits.. to allow <i>adjustment of throw</i> (turns) remote pot' giving a range of 1.5 - 4 turns Yacht classes, One Metre, RM, 10 Rater and 6 metre	54.00
WH.006	Hitec-K Bits.. DIGITAL ARM WINCH 19kg/cm customized by K Bits	82.50
WH.006a	Hitec-K Bits.. HS-5745MG DIGITAL servo customized, less arm 'New' This winch is the new 'kid on the block' Fast, superb holding power , extremely high resolution, programmable features using 'New' HFP-10 incl: end point throw, speed, dead band and failsafe 'New' External heat sink on motor, fully ball raced and metal geared. 'New' Supplied with PKB pulley mounted on short carbon fibre arm gives double purchase to increase throw and reduce 'footprint'. 'New' THE ultimate Winch	70.00
WH.007b	Fused ext lead for DIGITAL arm winch (incl with winch)	6.00
WH.007c	K Bits carbon arm and 'floating' PKB pulley	12.50
WH.007d	Sailsetc carbon arm and fixed PKB pulley for 'Italico'	14.00
WH.007	Hitec HFP-10 DIGITAL servo programmer and servo tester allows 'New' default settings of latest Hitec servos to be customized. (Optional as K Bits can program for you)	89.95
RMG Winches		
WH.280D	RMG smart winch for IOM, RM, 10R 'NEW'	129.95
WH.380D	RMG smart winch for 'A' class 'NEW'	134.95
WH.42mm	42mm std drum	6.15

Rudder Servos

SR.001	Futaba budget servo ref 3003 basic servo 3.2 Kg/cm 0.22sec/60deg Incl accessory pack	7.95
SR.001a	Hitec HS 311 standard servo for Laser	6.95
SR.002	Futaba standard servo ref: S148 , 3.0Kg/cm, 0.22sec/60deg metal bearing on output shaft. Incl accessory pack	7.95
SR.003	Futaba budget <i>ball raced</i> servo ref: S3001 , 3.0Kg/cm, 0.22/60deg wt 45.1g	13.95
SR.003a	Futaba Hi Torque servo S3010	21.95
SR.003b	Hitec HS5475HB Std DIGITAL servo 5.5kg/cm programmable	24.95
SR.003c	Futaba DIGITAL S3050 6.5kg/cm 0.16sec/60 Dual BB Mtl Gears 'New'	34.95
SR.004	Futaba S9001 coreless motor, ball raced output, 3.9Kg/cm 0.22sec/60deg, wt 48g, greater resolution. <i>The above servos are suitable for light/medium wind conditions however, if you sail in competition conditions and sail at the 'top end' wind range of each rig, the following servos are recommended.</i>	29.95
SR.005	Futaba S9202 5.0Kg/cm , 0.22sec/60deg, dual ball raced excellent positional torque and resolution, coreless motor, case has water/dust resistant seals.	49.95
SR.007	Futaba S9451 DIGITAL servo metal gears BB 'New'	74.95
SR.009	Hitec HS-5965MG 10kg/cm 0.10sec/60 deg 'New'	59.95
SR.010	Hitec HS-5985MG programmable DIGITAL rudder servo metal gears and metal arm, 12.4Kg/cm, 0.13sec/60deg HIGH power , extremely high resolution, programmable features using HFP-10 incl: end point throw, speed, dead band and failsafe	59.95
SR.011	FAILSAFE unit for winches and rudder servos. Simply plugs between receiver and servo designed to take over from Rx if interference is present. Protects winch and servos from exceeding their normal travel and being stalled as a result. Note: not required on new Hitec DIGITAL winch and servo as failsafe is programmed in by K. Bits..	13.95
	Note: All servos are designed to operate on 4.8v to 6.0 volt.	

Battery Packs

NiCad Battery Packs		
NC.001	Boat pack, 6.0 volt 1100mah with spot welded nickel interconnectors finished in heat shrink. Complete with Futaba plug and charging instructions. AA cells in a 3+2 layout using Sanyo ULTRA NiCd cells Wt 120 grams (incl plug).	15.75
NC.001a	Special 6.0v 1000mah NiMH Futaba plug	14.75
nc.001b	<i>NiCd 6.0v 900mah 3/4 AA</i>	14.75
NC.002	Boat pack, 7.2volt 1100mah with spot welded nickel interconnectors finished in blue heat shrink. Complete with Futaba plug and charging instructions. AA cells in a 3+3 layout using Sanyo Ultra NiCad cells. Wt 145 grams (incl plug).	18.50
NC.002a	Special 7.2v 900mah NiCd 3/4AA size	17.75
NC.003	Transmitter pack 9.6volt 700mah flat pack with spot welded interconnectors, finished in blue heat shrink complete with Futaba plug and charging instructions, Sanyo NiCad AA cells.	15.75
NC.003a	As above but with Sanyo Ultra NiCad 1100mah cells	24.95
NC.004	Transmitter pack 9.6volt 700mah square pack with spot welded interconnectors, finished in blue heat shrink complete with Futaba plug and charging instructions, Sanyo NiCad AA cells.	15.75
NC.005a	'GP' cells from Ripmax 1.2v 700mah single cells for Tx's unable to take an all welded pack. Transmitters require 8 cells	0.65
NI.005b	Sanyo NiMH cell 1.2v 1700mah	1.45
NI.005c	NiMH cell 2100mah 1.2v	1.95
NC.005d	NiCd 1.2v 800mah single cell	0.68
Metal Hydride Battery Packs		
NI.001	Boat pack, 6.0volt 800mah with spot welded nickel interconnectors finished in green heat shrink. Complete with Futaba plug and charging instructions. AAA cells in a 3+2 layout using Sanyo NiMH cells. Wt 63 grams (incl plug)	14.50
NI.001c	Boat pack 6 volt 1400mah NiMH 2+3 style	15.75
NI.002	Boat pack, 7.2 volt 800mah with spot welded nickel interconnectors finished in green heat shrink. Complete with Futaba plug and charging instructions. AAA cells in a 3+3 layout using Sanyo NiMH cells. Wt 75 grams (incl plug)	16.50
<p><i>Both the above battery packs are designed for weight saving applications on un-restricted classes. Approx 90min operation/charge depending on setup. Not recommended for digital winches or servos</i></p>		

Batteries Contd

NI.003	Boat pack, 6.0volt 1650mah with spot welded nickel interconnectors finished in green heat shrink. Complete with Futaba plug and charging instructions. Sanyo NiMH AA cells in a 3+2 layout. Wt 140 grams (incl plug)	19.95
NI.003a	6.0volt 2100mah NiMH boat pack	21.95
NI.004	Boat pack, 7.2volt 1650mah with spot welded nickel interconnectors finished in green heat shrink. Complete with Futaba plug and charging instructions. Sanyo NiMH AA cells in a 3+3 layout. Wt 170 grams (incl plug)	23.95
NI.004a	7.2volt 2100mah NiMH boat pack	23.95
NI.005	Tx pack 9.6v flat1600Mah welded pack using AA NiMH cells Complete with Futaba plug. <i>Nearly seven hours use from Tx</i>	19.95
NI.006	Tx pack 9.6v sq 1600Mah welded pack using AA NiMH cells Complete with Futaba plug. <i>Nearly seven hours use from Tx</i>	19.95
NI.007	Flat Tx 9.6v 2100Mah NiMH	26.95
NI.008	Flat Tx 9.6v 2700Mah NiMH	28.95
'New'	SPECIALIST SUPERLITE BATTERIES	
LP.001	7.4volt 1200mah Lithium Polymer (Li-Poly) battery pack	19.95
'New'	Physical size: 51 x 37 x 11mm WEIGHT only 49grams!! EXCEPTIONALLY HIGH performance pack, ideal for DIGITAL winches and servo's at very low weight.	
LI.002	7.4volt 720mah Lithium Polymer (Li-Poly) battery pack	15.95
'New'	Physical size: 53 x 32 x 7mm WEIGHT only 31grams!! EXCEPTIONALLY HIGH performance pack, ideal for DIGITAL winches and servo's at very low weight.	
Note:	*****SPECIAL , DEDICATED CHARGER REQUIRED.***** PLUS IMPORTANT SAFETY and USAGE INFORMATION MUST BE READ AND FOLLOWED	
LP.001a	Regulator 6.0volt 3ampere output. 7-25volt input allows above battery to be used on voltage sensitive receivers and servos Size 16 x 12 x 43mm Wt 14grams Also suitable for normal 7.2volt battery packs providing a constant 6.0 volts to winch, rudder servo and receiver to give uniform response from fully charged to discharged battery conditions	6.50
'New'		

Chargers

CH.001	Futaba dual 70/70ma outlet charger for 4.8v boat pack and Tx LED indicators for each, supplied with long leads and plugs.	12.95
CH.002	Futaba dual outlet, 180-250ma charger for 2, 6.0v boat packs indicators for each, supplied with long leads and plugs.	14.95
CH.002a	Multi 3 charger , 80/140/180mah 'banana' plug outlet, 2 pin mains input. Incl two charge leads (needs approved 2 pin adaptor)	16.95
CH.003	Multi 6 charger , six outlet, 50, 60, 80, 140, 180 & 500ma Solve your charging problems associated with Hi-cap packs and old, low output chargers. Suits NiCad or NiMH Batteries Now includes two charge leads to suit your plug system	21.00
CH.003a	Charge lead complete, Tx, Futaba or Molex plug	3.50
CH.003b	2 pin adaptor fr Euro style charger	1.50
	<i>The above chargers are constant current types without auto cut off and require switching off at the appropriate time.</i>	
CH.004	12volt input ' Lakeside charger ' for fast charging of Tx and boat battery packs. Fully automatic using 'Delta Peak' sensing of charge voltage. Complete with crock' clips, Tx charging lead and comprehensive instructions. Note: Either NiCad or NiMH packs	49.95
CH.005	Delta 4-2000 The next generation. Superb 4 ch charger. LCD display for each output giving individual charge time and voltage. Fully automatic charging of mixed capacity 4-10 cell packs. Feature laden, too many to list here. Typical charge times 120min for 1000mah packs with auto switch off. NiCad & NiMH packs	126.00 Inc P & P
LP.004 'New'	Dedicated Lithuim Polymer 1-2cell (Li-Poly) charger Output 500 or 1000mA. Microprocessor controlled giving, Auto cutoff, LED and bleeper. Input 12volt either battery or power supply.	9.95
LP.004a 'New'	Dedicated Lithuim Polymer 2-4cell (Li-Poly) charger Output 1000-1500-2000mA. Microprocessor controlled giving, Auto cutoff, red & green LEDs gives clear indication of charge status. Input 12volt either battery or power supply.	16.95
LP.005 'New'	Ultrapower 12v 10A mains power supply for home use of most 12v c Fuse protected output, safety thermostat and built in cooling fan size 95 x 110 x 65mm 3 pin UK type plug.	24.95
<h2>Analysers</h2>		
CH.006	Digiliser 2000 . The ultimate battery cyler and analyser. Perfect purchase for Club or group to condition and check your batteries every 3 months or so. Takes packs from 1-16cells 100Mah to 2Ah!! Actually conditions batteries using pulsed charge system.	105.00 Inc P & P
BT.001	'On load' battery tester for 6 volt packs . Simply connect pack, press button and confirm battery state by LED display Remember, off load checks are meaningless as a guide to battery state. Use it to test boat switch harness, checking for black wire' and switch problems on load. CH.005 & 6 P & P included	11.95
BT.002	Futaba 'On load' battery tester/discharger for 6 AND 7.2v packs	32.50
CD.001	Race Countdown unit integral NiCd PA + count 1min or 2min + repeat	87.50
CD.002	30watt 8ohm horn speaker for countdown unit	19.95

Accessories

Aerials

AR.001	Tx aerial for Futaba 2ER two channel 27 and 40MHz	3.95
AR.002	Tx aerial for Futaba Skysport 4 , 40MHz transmitter	4.75
AR.003	Tx aerial for 3VC black anodized	7.95
AR.004	Tx aerial for Futaba 'J' transmitter series	6.50
AR.005	Tx aerial for Futaba 5FG/6FG/7FG	4.95
AR.007	Tx aerial for Futaba 3UCP	4.95
AR.010	Tx Aerial Hitec Ranger 3	3.45
AR.011	Tx Aerial Hitec Ranger 2	3.35

Eye Safety (mandatory at MYA events)

AR.008	Eye/Aerial protection ball, very light, no rattle and very visible	0.95
AR.009	Eye/Aerial protection ball Club pack of 20	16.15

As shown in Marine Modeling, used worldwide

Crystals

XT.001	Futaba 27MHz AM , all frequencies. (price per xtal)	3.50
XT.002	Futaba 40MHz AM , all frequencies. (price per xtal)	3.95
XT.003	Futaba 40MHz FM , all frequencies. (price per xtal)	5.84
XT.004	Hitec 27MHz AM (price per xtal)	3.50
XT.005	Hitec 40MHz FM (price per xtal)	5.84
XT.005a	Hitec 40MHz AM (price per xtal)	5.84
XT.006	Futaba Xtal Case , protection for 12 xtals	4.25
XT.007	Frequency pennant, ribbon, clip and white numbers.	1.25

Leads etc

AC.001	Transmitter Cover, warm and waterproof.	33.00
AC.001a	Neck strap stop and ferrule for above	2.35
AC.001b	YOT-SOK, Very high quality hull bag, lined, Silica gel pocket	54.00
Ac.001c	Rayiotherm Transmitter cover The Rolls royce mitt	39.95
AC.002	Futaba neck strap, red with logo	8.50
AC.003	Neck strap Deluxe in red	4.95
AC.004	Neck strap Deluxe in blue	4.95
AC.005	Servo ext leads, Futaba 200mm	2.95
AC.006	Servo ext leads, Futaba 400mm	3.95
ac.006a	'Y' lead for using H/Performance servos with BEC 2ch Rx's	5.95
ac.006b	'Y' lead for Hitec/Laser	3.50
AC.007	Battery skt and power lead Futaba universal 3 pin type Black	2.60
AC.007a	Battery skt and power lead Futaba H/duty3 pin type Black	2.95
AC.008	Battery plug and power lead Futaba universal 3 pin type Black	2.60
AC.008a	Battery plug and power lead Futaba universal 3 pin type Black	2.95
AC.008a	Power ext lead Futaba 200mm	3.50
AC.009	Battery skt BEC 2 pin red	1.30
AC.009a	Batt Skt BEC H/Duty lead	2.95
AC.010	Battery plug BEC 2 pin red	1.30
ac.010a	Batt plug BEC H/Duty lead	2.95
AC.011	Futaba switch harness BEC type	3.75
AC.012	Futaba switch harness 3pin type with or without charge lead	4.95
AC.012a	Futaba Heavy duty switch and cabling suit RMG and DIGITAL winche	5.50
AC.013	K. Bits.. W/P switch and H/Duty harness made up 3 pin type	16.50
AC.013a	K. Bits.. W/P switch and H/Duty harness incl H/Duty plugs	19.50
ac.013b	Deans plug wired	3.95
AC.013c	Deans socket wired	3.95
ac.013d	Charge adaptor Futaba to deans H/Duty	4.50
AC.014	Waterproof switch and cover	4.95
AC.015	Heat shrink 1.5mm x 300mm Ideal for small joints and crimps	0.50
AC.016	Heat shrink 2.5mm x 300mm Ideal for plugs and skts	1.20
AC.017	Heat shrink 4mm x 300mm	1.25
AC.018	Heat shrink 6mm x 300mm	1.60
AC.019	Molex plug or skt	1.00
AC.020	Molex plug or skt ready wired	2.00
AC.021	DC power plug suits Futaba Tx for charging	0.95
AC.022	DC power plug suits Hitec Tx for charging	0.95
AC.023	Servo accessory pack (screws grommets etc)	1.25
AC.024	Servo Arm 'Long' Futaba, increases throw	0.40
AC.025	Futaba Servo Arm METAL c/w Ball link for ultimate control	5.95
AC.026	Carbon push rod 6mm x 300mm	3.50
AC.027	Ball links heavy duty M3 for minimum free play (pack of 2)	2.50
AC.027a	Ball links normal duty M2 for minimum free play (pack of 2)	1.00
AC.028	Plated links heavy duty M3 (pack of 2)	1.50
AC.029	Deck mount and tube for receiver aerial	0.95
AC.030	Sail box mast clips plastic coated for 11mm to 14mm tube (pack of 3)	1.00
AC.031	Trimline ,8 widths on a roll x 2.5m choice of ten colours	2.95
AC.032	Silicon Grease (100g) for pot lids and pushrod exit tubes	4.95
AC.033	Aerial wire 1 metre length	0.95

One Metre Rigs

The Rig kits supplied by **K Bits** are now **Sailsetc** products.

RG.001	No 1 rigging pack less sails incl lightweight boom and jib weight	70.25
RG.002	No 2 rigging pack less sails incl Sailsetc booms and jib weight	70.25
RG.003	No 3 rigging pack less sails incl Sailsetc booms and jib weight <i>Less 5% if all three ordered</i>	70.25
RG.004	Rig box, varnished, hinged with mast clips for 3 rigs. Tel for latest	59.00

Sails Only

NEW 'STEALTH' One Metre sails by Trevor Bamforth

SL.004	'STEALTH' High performance 'A' suit lightweight film, eyelet luff	59.50
SL.005	'STEALTH' High performance 'B' suit	54.00
SL.006	'STEALTH' High performance 'C' suit	52.50

Sail Markings etc

SM.001	ISAF Sail numbers 105mm x 70mm.	0.35
SM.002	ISAF One Metre Insignia.	0.26
SM.003	UK National letters GBR	0.65
SM.004	Hull registration No's 20mm	0.25
SM.005	Boat Name (special Order) Ask for details	2.75
SM.006	Positioning details for sail numbers.	0.75
DP.001	Venilia deck patch material clear + cols 450x1000mm	3.50
DP.002	Dacron deck patch material white only 1370 x 375mm	7.00
DP.003	TS2 reusable Dacron Custom hatch patches. State front/rear	0.40
DP.004	ISIS 5 patch set in dacron ,white, black, blue, green and red	2.25
DP.005	ISIS winch patch pair in dacron ,white, black, blue, green and red	0.70

RCLaser

LA.001	LASER 'One Design' r/c sailing boat, fit batteries and sail	325.00
LA.002	'C' suit	30.00
LA.003	'C' suit incl mast, short boom and sliders	60.00
LA.004	'A' suit incl mast, extra boom and sliders	72.00
LA.005	Extra standard boom A & B rigs	12.00
LA.006	Short boom 430mm 'C' rig incl sliders	10.00
LA.007	Custom bag Laser logo's etc	65.00
LA.008	Replacement fin and keel	32.50
LA.009	Mast, 'B' & 'C'	21.99
LA.010	Laser transmitter muff 'Warm and dry hands'	22.00
LA.011	Boom band	1.00
LA.012	'A' sail only	35.00
LA.013	'B' Sail only	30.00
LA.014	Tiller Arm	3.50
LA.015	Servo Arm (rudder)	1.50
LA.016	Rudder linkage (new type)	6.00
LA.017	Switch harness	2.50
LA.018	Hatch Cover	1.99
LA.019	'Rubber' switch cover	2.00

Hulls Etc

SI.001	Mallard silicon molded bow bumper	4.95	
SI.002	Swallow silicon molded bow bumper	4.50	
SI.003	Universal bumper, stick and carve to shape	2.00	
GL.001	SP113 epoxy finishing/laminating resin, 2 pack	7.95	
GL.002	0.6oz glass cloth	4.50	
SI.004	TS2 bumper	6.50	
Carbon Fins etc			
CF.001	One metre straight taper carbon fin, 'Nomex' core. (very stiff) 90 - 70mm by 470mm long	49.95	
CR.002	One metre carbon rudder, 4mm shaft, curved L.E. & T.E.	19.95	
CR.003	IOM 6% rudder for ISIS as used by Trevor Binks World Champion	39.95	
AC.026	Carbon pushrod for servo to tiller 6 x 300mm	3.50	
Ballasts <i>Slim skiff style design</i>			
BA.001	IOM lead ballast by K. Bits with slot from precision Alu mold	21.00	
BA.002	IOM Lead ballast by Sailsetc with slot and brass rod centre	31.75	
Fittings			
BF.001	Deluxe r/c Tub, light with easy 1/4turn action on lid	1.00	
BF.002	Rigging screws, 3mm single end, for IOM shrouds	2.60	
31b	3mm Nyloc nut for rigging screws etc (20)	2.25	
BF.003	Eye bolt - 3mm	3mm x 25mm	1.20
BF.003a	Eye bolt - 3.5mm	3.5 x 25mm	1.20
38a	Eyebolt - 3.5mm x 6mm		1.05
70a	Crimps, brass medium	1.6 int dia	3.10
70b	Crimps, brass small	1.2 int dia	2.80
AC.015	Heat shrink 1.5mm x 300mm Ideal for small joints and crimps	0.65	
BF.006	Elastic, single core 1mm (winch return)	0.80	
BF.006a	Elastic, single core 2mm (winch return)	0.90	
52a	Ferrule, PTFE plastic for mast post and main sheet	1.15	
BF.008	PTFE ring, fairlead for adjustable sheeting position	1.15	
BF.008a	Alu mainsheet post (not adjustable)	1.25	
BF.009	Sail flow grip, ready made 3/8"	0.90	
86	Silicon drain bung for hull	0.40	
BF.011	Heavy Duty double tiller arm in glass filled nylon for 4mm stock 'New'	3.25	
BF.012a	Grommets, 1/4" pkt 10	1.35	
BF.012b	Grommets, 5/16" pkt 10	1.55	
BF.012c	Grommets, 3/8" pkt 10	1.75	
BF.013	Through deck, ball raced pulley block PKB	8.50	
BF.014	Single pulley block	deck mounted	6.25
BF.015	Double pulley block	deck mounted	7.25
BF.016	Single pulley block	with shackle	6.75
87b	SS hooks	3.25	
87z	Sheet hook laser cut	0.95	
87g	Hook laser cut	0.90	
60c	Sheet guide 15mm offset	8.00	
65b	Silicon cover for thro' deck pulley	5.00	
57a	Bowies Sailsetc design	2sizes/pack 10	2.10
57b	Bowies Sailsetc design	Lge 15 x 4mm 10 pkt	1.90
57c	Bowies Sailsetc design	med 12 x 3mm 10 pkt	2.40
BF.018	Crane IOM	30/50mm long	2.60
22h	Crane adjustable		3.50
23.11	Head fitting	11.1mm	1.10
23.127	Head fitting	12.7mm	1.10
BF.021	Gooseneck/kicker round mast	11.1/12.7mm	14.00
BF.021a	Gooseneck/kicker Ball raced	11.1/12.7mm	39.25
BF.022	Gooseneck/kicker groovy mast	11.1/12.7mm	13.25
BF.023	Spreader kit, Low drag aero foiled section 'New'		5.60
BF.024	'O' rings	6mm	1.50
BF.025	'O' rings	10mm	1.35
BF.026	Threaded rod for normal duty ball links	2 x 180mm	0.30
BF.027	Jib weight 28-35 grams		2.60
BF.028	3/8" round Boom fitting to suit above		2.00
BF.029	Aerial tube, pot to deck	500mm	0.95
BF.030	4mm SS screw and brass insert for fin attachment		3.25
BF.031	Mast Ram 144t		4.60

Alloy Masts

AL.001	Round Anodized (3/8" boom)	9.5mm	3.00
AL.002	Round Anodized	11mm	10.50
AL.003	Round Anodized	12.8mm	10.00
AL.004	Groovy mast anodized	11.1mm	13.25
AL.005	Groovy mast anodized	12.7mm	15.00

A = 2000, B = 1500, C = 1500mm for pricing

Boom Kits

BM.001	Sailsetc main boom kit	355mm long	9.75
BM.002	Sailestc jib boom kit	410mm long	12.50
BM.003	Super light jib boom kit	410mm long	11.75
BM.004	Ball Raced down haul for jib 120-100		10.75
BM.005	Sailsetc Ftg 120b for above		2.75
101f	Sailsetc Ftg 101f to 'plug' end of main boom saves boat damage		1.60
46-100	Boom Band with pin		1.40
101d	Fwd Headsail Ftg Sailsetc section		1.40
101e	Headsail forward boom Ftg 10mm		1.40
101g	Headsail aft boom Ftg 10mm		1.00
104f	Clew slide lt wt boom		2.60
104e	Sheet guide adj boom		1.60
104-100	Sheet guide/fairlead 10mm lt wt boom		2.60
104a	Clew slide 'Sailsetc section'		1.80
104b	Track Slide 'Sailsetc section'		1.25
104d	Sheet attachment Sailsetc main boom		2.30
120d	Jib swivel BB Sailsetc boom		11.50
52mt	Acetal Mainsheet post with metal trunking		11.25

Rigging

RI.001	0.45mm 7 strand 23kg BS S/Steel		4.40
RI.002	0.60mm 7 strand 45kg BS S/Steel		5.00
RI.003	50lb Dacron cord		1.50
D25	25kg Dacron cord		2.00
D40	40kg Dacron cord		2.00
RI.004	60lb Dyneema, braided (sheets etc)		2.80
RI.004a	100lb Dyneema		2.80
RI.005	Stainless steel hook wire		0.75
RI.006	Stainless steel 4mm rudder shaft		0.60
RI.007	Brass rudder tube 4mm		0.40
RI.008	Flat rigging 'wire'		6.00

Plans, Books etc

PL.001	Mallard IOM plan		6.95
PL.002	Swallow IOM plan		5.75
BK.001	Rules Companion 2005-08 condensed, laminated and pocket size <i>Ideal for quick protest assessment</i>		7.95
BK.002	Rules in Practice Bryan Willis superbly pictorial rules book 2001-4		13.95
BK.003	R/C Racing Sailboats by Chris Jackson		14.95
BK.004	Battery Book , all you need to know about batteries. 39 pages		4.50
IS.001	Winch guidelines Futaba 5801		0.50
IS.002	Winch guidelines Hitec 725 BB		0.50
IS.003	Swallow 'update sheet		0.50

Post & packing costs

Large parcels and lead ballasts		
These are sent by City Link 24hr service		14.00
Radio Control Equipment >2Kg		
These are sent using City Link 'CityPac' service giving next day, insured delivery.		12.50
R/C Equipment <2kg, Winches, Servos		
These are sent using the Post Office 'special delivery' service giving next day, insured delivery.		8.50
Batteries		
Normally sent first class post		2.00
Accessories & Plans		
Small accessories and fittings are normally sent by first class post		1.75
Masts		
Up to 2000mm long and 4 masts		18.50
Books	Rule books. Sailing books etc	3.95
	<i>High value items can be sent first class at your own risk</i>	
Payment methods		
Cheque	Please send a crossed cheque or postal order, made payable to: K. Bits. with your order.	
CI Cards	Payment can be made by Visa/MasterCard/Switch at no additional cost.	
Visiting K. Bits..?		
	Please note that K. Bits. is mail order only, without retail premises (shop), goods are not on display. Business hours are 9-6pm Monday-Friday for orders by telephone or fax. Email anytime on kenbinks@kbits.co.uk <i>In exceptional circumstances orders may be picked up by prior arrangement.</i>	
	<i>Being a small business means we are often unavailable, busy taking orders, packing or manufacturing components. Please leave a telephone order or message and we WILL get back to you.</i>	
NOTE:	<i>Rates apply to United Kingdom only (excluding N. Ireland, IOM, IOW) Telephone for details for other Locations</i>	
	<i>K Bits..VAT Reg No is: 823 6805 26</i>	