

Radio Control Systems

27MHz Systems (customised for Yachting)

CB.001	27MHz AM Futaba-K Bits Attack 2ER, 2 channel Tx,Rx & 1 servo Includes 8 rechargeable NiCd cells and xtals.	47.50
CB.002	27MHz AM Hitec-K Bits Ranger 2Z , 1 servo Includes 8 rechargeable NiCd cells and xtals.	44.00

40MHz Systems (customised for Yachting)

CB.003	40MHz AM Futaba-K Bits Attack 2ER, 2 channel Tx,Rx & 1 servo Includes 8 rechargeable NiCd cells and xtals.	47.50
CB.004	40MHz FM Futaba-K Bits Skysport 4ch Tx, Rx, nicads & charger Customized for Yachting by K Bits.. . Most popular FM system	114.95
CB.005	40MHz FM Hitec-OPTIC FM syth' 6 channel, ATV's Epos NO Tx xtals required, just dial Freq'	119.95
CB.006	40MHz FM Hitec-K Bits 3ch Eclipse Pro Car , 20 yacht memory, digital trims, expo,auto dual rates, servo reverse, BEC, Tx NiCad & charger.	145.00
CB.007	40MHz FM Futaba 6EXAP computer system 6 model memory, digital trim 'New' Expo, dual rates servo reverse 1 servo Tx NiCd & charger	145.00
CB.007a	40MHz FM Futaba 6EXAP computer system 6 model memory, digital trim Expo, dual rates servo reverse 1 servo Tx NiCd & charger	155.00
CB.006a	Futaba 3GR combo. 3 ch FULLY synthesized Tx and RX 'New' Does PPM or HRS (enhances DIGITAL servo performance) 'New' NO XTALS required!!! All 34, 40MHz spots in one box! 'New' The ultimate in value and performance Customized by K Bits with Tx mods and Tx NiCd.	140.00
CB.008	40MHz Futaba-K Bits 3VCS computer Radio, 3Ch 'The Ultimate Yacht System. 10 boat memory expandable to 20 with campac , PCM,PPM,HRS ATV,ATL, Exponential and digital trims. Supplied with 3ch micro HRS Rx, Tx NiCad and dual charger. <i>Comes with K. Bits software programming.</i>	339.95
CB.009	16K Campac memory module for 3VC giving a further 8 model memories	48.75
CB.010	Hitec 40MHz module	21.95
CB.008	40MHz Module for 3VC	69.95
CB.011	40MHz Hitec Syn'th Module for 3VC/Optic 6	59.95

2.4Ghz Systems (customised for Yachting)

CB.013	Spektrum DX6i 6channel DSM2 2.4GHz system <i>The very latest system from Spektrum. Ring for availability</i>	*NEW**NEW* 109.95
CB.014	Futaba 6EX 2.4GHz system, customised for yachts	149.50
CB.006b	Futaba 3GR-2.4GHz 'Join the revolution'	175.00
CB.008a	Futaba 3VCS 2.4GHz System using FASST Technology	359.95
CB.012	Futaba 2.4GHz FASST module and Receiver for 3VC and 3VCS Convert your existing 3VC to the new 2.4GHz 'no worries' band	185.00

note: To ensure you get the very best from your R/C system both the hardware and software are customized by K Bits for Yachting. Ask for details

Receivers

27MHz Receivers

RX.001	27MHz AM Futaba 2ch receiver ref: R122JE weight 16.8g dimensions 46 x 31.5 x 25mm current drain 32ma	17.95
RX.001a	27MHz AM Hitec 2ch receiver ref: HT502 weight 28g dimensions 53 x 35 x 19mm	14.65

40MHz Receivers

RX.001b	40MHz AM Hitec 2ch receiver ref: HT502 weight 28g dimensions 53 x 35 x 19mm	14.65
RX.002	40 MHz AM Futaba 2ch receiver ref: R122JE weight 16.8g dimensions 46 x 31.5 x 25mm current drain 32ma	17.95
RX.002a	40MHz FM Futaba 6ch receiver ref: R-136F weight 30g, current drain 11ma, dimensions 50 x 32 x 20.5mm	34.95
RX.003	40MHz FM Futaba 3ch 153F micro receiver, weight 19g, current drain 11ma, short aerial, dimensions 42.7 x 28.7 x 16mm	39.95
RX.004	40MHz PCM Futaba 3ch micro receiver R113iP, weight 21g, current drain 17ma, short aerial, dimensions 42.7 x 28.7 x 16mm Failsafe and glitch free operation. As supplied with 3VC	79.95
RX.004a	40MHz R203HF HRS receiver , 3ch DIGITAL servos/winches only	79.95
RX.004b	Futaba Syth'sd 40MHz 3ch receiver R303FHS PPM + HRS No xtals required.	79.95
RX.005	40MHz FM Futaba 4ch R114F super micro receiver Weight only 10.9g designed for short range applications. OK for yachts. Aerial length and position in boat slightly more critical. However an excellent low cost receiver.	28.95
RX.006	40MHz FM Hitec 3ch micro receiver ref: HFS03MM	28.50
RX.006a	40MHz FM Hitec 3ch failsafe receiver ref HIS03MK	32.50

2.4GHz Receivers

RX.012	Spektrum AR 6000 6ch dual 1ch failsafe receiver for DX6-7 'New'	44.95
RX.012a	Spektrum BR 6000 6ch dual ' all ch ' failsafe receiver for DX6-7 'New'	44.95
RX.013	Spektrum AR 7000 receiver for DX7	64.95
RX.011a	Spektrum Rx voltage regulator' 'New'	5.75
RX.014	Futaba R603FS 'fasst' receiver	95.00
RX.015	Futaba R603FF 'fasst' receiver	85.00
RX.016	Futaba R606FS 'fasst' receiver	62.50

Winches

DRUM TYPE WINCHES		
WH.004	Hitec drum winch ref: HS-785 HB, Torque 14.5Kg/cm, Speed 1.13sec/360deg, 6.0 volt, 4 turns approx depending on Tx Yacht classes, RCLaser , One Metre, RM, 10 Rater and 6 metre	29.95
WH.005	Hitec adjustable drum winch ref: HS-785 HB, Torque 14.5Kg/cm, Speed 1.13sec/360deg, 6.0 volt, Modified by K. Bits.. to allow <i>adjustment of throw</i> (turns) remote pot' giving a range of 1.5 - 4 turns Yacht classes, One Metre, RM, 10 Rater and 6 metre	54.00
WH.003	Futaba Drum winch ref: S5801 . Torque 9.8kg/cm, speed 0.5sec/360 deg, weight 83g, 6.0 - 7.2 volt (battery direct to winch) Dimensions 46 x 25 x 44mm. Throw adjustment by integral pot' giving 2 -6 turns. Superb positional accuracy and speed. DIRECT retro fit for Whirlwind Atlas	114.95
WH.280D	RMG 280D smart winch for IOM, RM, 10R 'NEW'	134.50
WH.380D	RMG 380D smart winch for 'A' class 'NEW'	134.95
Drum accessories		
WH.32mm	32mm std drum	6.15
WH.42mm	42mm std drum	6.15
WH.32ST	32mm self tensioning drum	12.50
WH.42ST	42mm self tensioning drum	12.50
WH.thumb	RMG knurled thumb screw for drum retention	2.50
ARM TYPE WINCHES		
WH.001	Futaba arm winch P-S3802 Torque 11.0 Kg/cm, Speed 0.62sec/60deg weight 65g, dimensions 45.5 x 23 x 42.3mm, 6.0volt Throw adjustment Tx ATV or mechanical (radius of arm) Suitable for small yachts up to 36 inch (36R)	46.95
WH.002	Futaba arm winch ref: P-S3801 , torque 14.0Kg/cm, speed .26sec/60deg, dimensions 59 x 29 x 50mm, 6.0 volt, weight 107g Throw adjustment Tx ATV or mechanical (radius of arm) Suitable for small yachts up to One Metre	46.95
WH.002a	Hitec arm winch ref: HS-765HB , torque 13.2kg/cm, speed 0.23 sec /60 deg. Size 59 x 29 x 52mm weight 102g Throw adjustment Tx ATV or mechanical (radius of arm) Suitable for small yachts up to One Metre	24.95
WH.006	Hitec-K Bits.. DIGITAL ARM WINCH 19kg/cm customized by K Bits Winner of 2003 World Championships for IOM's	82.50
WH.006a	Hitec-K Bits.. HS-5745MG DIGITAL servo customized, less arm	70.00
WH.006b 'New'	Hitec-K Bits.. DIGITAL Sail servo HS 5955TG Latest Hitec powerhouse customised by us for sail control, more power 23Kg/cm and titanium gears in a small case, gives auw 63grams	75.00
WH.007b	Fused ext lead for DIGITAL arm winch (incl with winch)	6.00
WH.007c	K Bits carbon arm and 'floating' PKB pulley	12.50
WH.007d	Sailsetc carbon arm and fixed PKB pulley for 'Italico'	14.00
WH.007e	Sailsetc 'Wheel' output system for Sail servo	24.00
WH.007 'New'	Hitec HFP-10 DIGITAL servo programmer and servo tester allows default settings of latest Hitec servos to be customized. (Optional as K Bits can program for you)	89.95

Rudder Servos

SR.001	Futaba budget servo ref 3003 basic servo 3.2 Kg/cm 0.22sec/60deg Incl accessory pack	7.95
SR.001a	Hitec HS 311 standard servo for RCLaser	6.95
SR.003	Futaba budget <i>ball raced</i> servo ref: S3001 , 3.0Kg/cm, 0.22/60deg	13.95
SR.004	Futaba S9001 coreless motor, ball raced output, 3.9Kg/cm 0.22sec/60deg, wt 48g, greater resolution.	29.95
<p><i>The above servos are suitable for light/medium wind conditions however, if you sail in competition conditions and sail at the 'top end' wind range of each rig, the following servos are recommended.</i></p>		
High Torque Servos		
SR.003a	Futaba Hi Torque servo S3010	19.95
SR.003d	Futaba Hi Torque servo S3014 water resistant seals	21.95
SR.003b	Hitec HS5475HB Std DIGITAL servo 5.5kg/cm programmable Ideal for RCLaser giving more rudder throw	24.95
SR.005	Futaba S9202 5.0Kg/cm , 0.22sec/60deg, dual ball raced excellent positional torque and resolution, coreless motor, case has water/dust resistant seals.	49.95
Metal Geared Servos		
SR.003c	Futaba S3050 DIGITAL 6.5kg/cm 0.16sec/60 Dual BB Mtl Gears 'New'	34.95
SR.007	Futaba S9451 DIGITAL 8.7kg/cm 0.10sec/60deg 'New' Coreless motor	74.95
SR.009	Hitec HS-5965MG 10kg/cm 0.10sec/60 deg 'New' <i>Failsafe, centre and throw prog' by K Bits..</i>	59.95
SR.010	Hitec HS-5985MG 12.4Kg/cm, 0.13sec/60deg 'New' <i>Failsafe, centre and throw prog' by K Bits..</i>	59.95
SR.011	FAILSAFE unit for winches and rudder servos. Simply plugs between receiver and servo designed to take over from Rx if interference is present. Protects winch and servos from exceeding their normal travel and being stalled as a result. Note: not required on new Hitec DIGITAL winch and servo as failsafe is programmed in by K. Bits..	13.95

Note: All servos are designed to operate on 4.8v to 6.0 volt.

Battery Packs

13.

NiCad Battery Packs		
NC.001	Boat pack, 6.0 volt 1100mah with spot welded nickel interconnectors finished in heat shrink. Complete with Futaba plug and charging instructions. AA cells in a 3+2 layout using Sanyo ULTRA NiCd cells Wt 120 grams (incl plug).	15.75
NC.001a	Special 6.0v 1000mah NiMH Futaba plug	14.75
NC.002	Boat pack, 7.2volt 1100mah with spot welded nickel interconnectors finished in blue heat shrink. Complete with Futaba plug and charging instructions. AA cells in a 3+3 layout using Sanyo Ultra NiCad cells. Wt 145 grams (incl plug).	18.50
NC.002a	Special 7.2v 900mah NiCd 3/4AA size	17.75
NC.003	Transmitter pack 9.6volt 700mah flat pack with spot welded interconnectors, finished in blue heat shrink complete with Futaba plug and charging instructions, Sanyo NiCad AA cells.	15.75
NC.003a	As above but with Sanyo Ultra NiCad 1100mah cells	24.95
NC.004	Transmitter pack 9.6volt 700mah square pack with spot welded interconnectors, finished in blue heat shrink complete with Futaba plug and charging instructions, Sanyo NiCad AA cells.	15.75
NC.005a	'GP' cells from Ripmax 1.2v 700mah single cells for Tx's unable to take an all welded pack. Transmitters require 8 cells	0.65
NI.005b	Sanyo NiMH cell 1.2v 1700mah	1.45
NI.005c	AA NiMH cell 2700mah 1.2v	1.24
NC.005d	NiCd 1.2v 800mah single cell	0.49

Metal Hydride Battery Packs

NI.001 'New'	Boat pack, 6.0volt 1000mah with spot welded nickel interconnectors finished in green heat shrink. Complete with Futaba plug and charging instructions. AAA cells in a 3+2 layout using Sanyo NiMH cells. Wt 63 grams (incl plug)	14.50
NI.001c	Boat pack 6 volt 1400mah NiMH 2+3 style	15.75
NI.001d	Laser NiMH Boat pack 6 volt 2400mah	6.50
NI.002 'New'	Boat pack, 7.2 volt 1000mah with spot welded nickel interconnectors finished in green heat shrink. Complete with Futaba plug and charging instructions. AAA cells in a 3+3 layout using Sanyo NiMH cells. Wt 75 grams (incl plug)	16.50
<i>Both the above battery packs are designed for weight saving applications on un-restricted classes. Approx 90min operation/charge depending on setup. Not recommended for digital winches or servos</i>		
NI.003a	6.0volt 2100mah NiMH boat pack	21.95
NI.003b	6.0 volt 2400mah NiMH boat pack budget range	6.50
NI.004		
NI.004a	7.2volt SANYO 2100mah NiMH boat pack	23.95
NI.004b	'Budget' 7.2volt 2400mah NiMH boat pack	8.75
NI.005	Tx pack 9.6v flat1600Mah welded pack using AA NiMH cells Complete with Futaba plug. <i>Nearly seven hours use from Tx</i>	19.95
NI.006	Tx pack 9.6v sq 1600Mah welded pack using AA NiMH cells Complete with Futaba plug. <i>Nearly seven hours use from Tx</i>	19.95
NI.006a	Spektrum Tx pack 9.6volt 1500mah NiMH 'special plug and polarity	24.50
NI.007	Flat Tx 9.6v 2100Mah NiMH	26.95
NI.008	Flat Tx 9.6v 2700Mah NiMH	28.95
NI.008b	Budget 9.6v 2400Mah Tx pack	10.95
NI.008c	'Instant' 9.6v 2100mah Tx pack Sq	10.95

Lithium Polymer Batteries

LP.001 'New'	7.4volt 800mah Lithium Polymer (Li-Poly) battery pack Physical size: 51 x 30 x 15mm WEIGHT only 42grams!! EXCEPTIONALLY HIGH performance pack, ideal for DIGITAL winches and servo's at very low weight.	14.95
Note:	*****SPECIAL, DEDICATED CHARGER REQUIRED.***** PLUS IMPORTANT SAFETY and USAGE INFORMATION MUST BE READ AND FOLLOWED	
LP.001a 'New'	Regulator 6.0volt 3ampere output. 7-25volt input allows above to be used on voltage sensitive receivers and servos Size 16 x 12 x 43mm Wt 14grams Also suitable for normal 7.2volt battery packs providing a constant 6.0 volts to winch, rudder servo and receiver to give uniform response from fully charged to discharged battery conditions	6.50

Chargers

CH.001	Futaba dual 70/70ma outlet charger for 4.8v boat pack and Tx LED indicators for each, supplied with long leads and plugs.	10.95
CH.002	Futaba dual outlet, 180-250ma charger for 2 x 6.0v boat packs indicators for each, supplied with long leads and plugs.	14.95
CH.002a	Multi 3 charger , 80/140/180mah 'banana' plug outlet, 2 pin mains input. Incl two charge leads (needs approved 2 pin adaptor)	16.95
CH.002b	Multi 2 charger 200ma Tx and Rx 6.0volt suits Spektrum JR & Futaba	10.95
CH.003c	Dual outlet charger 150ma outputs Tx and 6.0 volt boat pack	10.45
CH.003	Multi 6 charger , six outlet, 50, 60, 80, 140, 180 & 500ma Solve your charging problems associated with Hi-cap packs and old, low output chargers. Suits NiCad or NiMH Batteries Now includes two charge leads to suit your plug system	21.00
CH.003a	Charge lead complete , Tx, Futaba or Molex plug	3.50
CH.003b	2 pin adaptor for Euro style charger <i>The above chargers are constant current types without auto cut off and require switching off at the appropriate time.</i>	1.50
CH.004	12volt input ' Lakeside charger ' for fast charging of Tx and boat battery packs. Fully automatic using 'Delta Peak' sensing of charge voltage. Complete with crock' clips, Tx charging lead and comprehensive instructions. Note: Either NiCad or NiMH packs	49.95
CH.004a	Protech 4500 , 3 outlet charger for NiCd & NiMH Batts, Tx, 150ma, 4.8-6.0 volt 150ma Rx Plus ' Fast Charge ' outlet with auto cutout (DP) for 4-8cells. 230-12 volt input gives home or away use.	38.50
CH.005	Delta 4-2000 The next generation. Superb 4 ch charger. LCD display for each output giving individual charge time and voltage. Fully automatic charging of mixed capacity 4-10 cell packs. Feature laden, too many to list here. Typical charge times 120min for 1000mah packs with auto switch off. NiCad & NiMH packs	126.00
CH.005a	D4-2000 as above with the addition of 12volt input	160.00
LP.004 'New'	Dedicated Lithium Polymer 1-2cell (Li-Poly) charger 'New' Output 500 or 1000mA. Microprocessor controlled giving, Auto cutoff, LED and bleeper. Input 12volt either battery or power supply.	9.95
LP.004a 'New'	Dedicated Lithium Polymer 2-4cell (Li-Poly) charger 'New' Output 1000-1500-2000mA. Microprocessor controlled giving, Auto cutoff, red & green LEDs gives clear indication of charge status. Input 12volt either battery or power supply.	16.95
LP.004b	Dedicated Balancer Li-Po charger for 800mah 7.4volt packs 12 volt input. Use power supply or 12v car battery	11.95
LP.005 'New'	Ultrapower 12v 10A mains power supply for home use of most 12v chargers. Fuse protected output, safety thermostat and built in cooling fan size 95 x 110 x 65mm 3 pin UK type plug.	24.95

Analysers

CH.006	Digiliser 2000. The ultimate battery cyler and analyser. Perfect purchase for Club or group to condition and check your batteries every 3 months or so. Takes packs from 1-16cells 100Mah to 2Ah!! Actually conditions batteries using pulsed charge system.	105.00
BT.001	'On load' battery tester for 4.8 and 6 volt packs	11.95
BT.002	Futaba's ultimate 'On load' tester/discharger for 4.8v - 7.4v packs	32.50
BT.003	On board' Flash voltage display by RMG	16.50
	Remember , off load checks are meaningless as a guide to battery state. Use it to test boat switch harness, checking for black wire' and switch problems on load.	
CD.001	Race Countdown unit integral NiCd PA + count 1min or 2min + repeat	87.50
CD.002	Horn speaker 30watt 8ohm for countdown unit	19.95

Accessories

Aerials		
AR.001	Tx aerial for Futaba 2ER two channel 27 and 40MHz	3.95
AR.002	Tx aerial for Futaba Skysport 4-6EXA , 40MHz transmitter	4.75
AR.003	Tx aerial for 3VC-3VCS black anodized	7.95
AR.004	Tx aerial for Futaba 'J' transmitter series	6.50
AR.005	Tx aerial for Futaba 5FG/6FG/7FG	4.95
AR.007	Tx aerial for Futaba 3UCP	4.95
AR.010	Tx Aerial Hitec Ranger 3	3.45
AR.011	Tx Aerial Hitec Ranger 2	3.35
AR.012	Optic 6 aerial (long)	6.95
AR.013	Spektrum DX6 aerial complete	7.50
Eye Safety (mandatory at MYA events)		
AR.008	Eye/Aerial protection ball, very light, no rattle and very visible	0.95
AR.009	Eye/Aerial protection ball Club pack of 20 As shown in Marine Modeling, used worldwide	16.15
Crystals		
XT.001	Futaba 27MHz AM , all frequencies. (price per xtal)	3.50
XT.002	Futaba 40MHz AM , all frequencies. (price per xtal)	3.95
XT.003	Futaba 40MHz FM , all frequencies. (price per xtal)	5.90
XT.004	Hitec 27MHz AM (price per xtal)	3.50
XT.005	Hitec 40MHz FM (price per xtal)	5.90
XT.005a	Hitec 40MHz AM (price per xtal)	5.90
XT.006	Futaba Xtal Case , protection for 12 xtals	4.25
XT.007	Frequency pennant, ribbon, clip and white numbers.	1.25

Leads etc

AC.001	Trans-mitt Cover, warm and waterproof.	33.00
AC.001a	Neck strap strop and ferrule for above	2.35
Ac.001c	Rayiotherm Transmitter cover The Rolls royce mitt	39.95
AC.001d	19mm plastic eyelet kit for Mitts using Spektrum RC	0.60
AC.002	Futaba neck strap, red with logo	8.50
AC.002a	Spektrum logo neckstrap	4.99
AC.003	Neck strap Deluxe in red	4.95
AC.004	Neck strap Deluxe in blue	4.95
AC.005	Servo ext leads, Futaba 200mm	2.95
AC.006	Servo ext leads, Futaba 400mm	3.95
ac.006a	'Y' lead for using H/Performance servos with BEC 2ch Rx's	5.95
ac.006b	'Y' lead for Hitec/Laser	3.50
AC.007	Battery skt and power lead Futaba universal 3 pin type Black	2.60
AC.007a	Battery skt and power lead Futaba H/duty3 pin type Black	2.95
AC.008	Battery plug and power lead Futaba universal 3 pin type Black	2.60
AC.008a	Battery plug and power lead Futaba universal 3 pin type Black	2.95
AC.008b	Power ext lead Futaba 200mm	3.50
AC.009	Battery skt BEC 2 pin red	1.30
AC.009a	Batt Skt BEC H/Duty lead	2.95
AC.010	Battery plug BEC 2 pin red	1.30
ac.010a	Batt plug BEC H/Duty lead	2.95
AC.011	Futaba switch harness BEC type	3.75
AC.012	Futaba switch harness 3pin type with or without charge lead	4.95
AC.012a	Futaba Heavy duty switch and cabling suit RMG and DIGITAL winches	5.50
AC.013	K. Bits.. W/P switch and 200mm H/Duty harness made up 3 pin type	16.50
AC.013a	K. Bits.. W/P switch and 200mm H/Duty harness incl H/Duty plugs	19.50
SWB	K. Bits.. W/P switch and 400mm H/Duty harness incl Futaba plugs	24.00
ac.013b	Deans plug wired	3.95
AC.013c	Deans socket wired	3.95
ac.013d	Charge adaptor Futaba to deans H/Duty	4.50
AC.014	Waterproof switch and cover	4.95
AC.015	Heat shrink 1.5mm x 300mm Ideal for small joints and crimps	0.50
AC.016	Heat shrink 2.5mm x 300mm Ideal for plugs and skts	1.20
AC.017	Heat shrink 4mm x 300mm	1.25
AC.018	Heat shrink 6mm x 300mm	1.60
AC.019	Molex plug or skt	1.00
AC.020	Molex plug or skt ready wired	2.00
AC.021	DC power plug suits Futaba Tx for charging	0.95
AC.022	DC power plug suits Hitec Tx for charging	0.95
AC.023	Servo accessory pack (screws grommets etc)	1.25
AC.024	Servo Arm 'Long' Futaba, increases throw	0.40
AC.025	Futaba Servo Arm METAL c/w Ball link for ultimate control	5.95
AC.026	Carbon push rod 6mm x 300mm	3.50
AC.027	Ball links heavy duty M3 for minimum free play (pack of 2)	2.50
AC.027a	Ball links normal duty M2 for minimum free play (pack of 2)	1.00
AC.028	Plated links heavy duty M3 (pack of 2)	1.50
AC.029	Deck mount and tube for receiver aerial	0.95
AC.030	Sail box mast clips plastic coated for 11mm to 14mm tube (pack of 3)	1.00
AC.031	Trimline ,8 widths on a roll x 2.5m choice of ten colours	2.95
AC.032	Silicon Grease (100g) for pot lids and pushrod exit tubes	4.95
AC.033	Aerial wire 1 metre length	0.95

One Metre Rigs

The Rig kits supplied by **K Bits** are now **Sailsetc** products.

RG.001	No 1 rigging pack less sails incl lightweight boom and jib weight	74.00
RG.002	No 2 rigging pack less sails incl Sailsetc booms and jib weight	74.00
RG.003	No 3 rigging pack less sails incl Sailsetc booms and jib weight <i>Less 5% if all three ordered</i>	74.00
RG.004	Rig box, varnished, hinged with mast clips for 3 rigs. Tel for latest	62.50

Sails Only

NEW 'STEALTH' One Metre sails by Trevor Bamforth

SL.004	'STEALTH' High performance 'A' suit lightweight film, eyelet luff	59.50
SL.005	'STEALTH' High performance 'B' suit	56.00
SL.006	'STEALTH' High performance 'C' suit	52.50

Sail Markings etc

SM.001	ISAF Sail numbers 105mm x 70mm.	price each	0.35
SM.002	ISAF One Metre Insignia.	price each	0.26
SM.003	UK National letters GBR	Price/GBR	0.65
SM.004	Hull registration No's 20mm	each	0.25
SM.005	Boat Name (special Order) Ask for details		2.75
SM.006	Positioning details for sail numbers.		0.75
DP.001	Venilia deck patch material clear + col 450x1000mm		3.50
DP.002	Dacron deck patch material white + C 1370 x 375mm		7.50
DP.003	TS2 reusable Dacron Custom hatch patches. State front/rear		0.40
DP.004	ISIS 5 patch set in dacron ,white, black, blue, green and red		2.25
DP.004a	ISIS 'II' 7 patch set in dacron ,white, black, blue, green and red		2.95
DP.005	ISIS winch patch pair in dacron ,white, black, blue, green and red		0.70
DP.005a	ISIS 'II' winch patch pair in dacron ,white, black, blue, green and red		0.85

RCLaser

LA.001	LASER 'One Design' r/c sailing boat, fit batteries and sail	325.00
LA.002	'C' suit	30.00
LA.003	'C' suit incl mast, short boom and sliders	60.00
LA.004	'A' suit incl mast, extra boom and sliders	72.00
LA.005	Extra standard boom A & B rigs	12.00
LA.006	Short boom 430mm 'C' rig incl sliders	10.00
LA.007	Custom bag Laser logo's etc	65.00
LA.008	Replacement fin and keel	32.50
LA.009	Mast, 'B' & 'C'	22.00
LA.009a	Mast, for 'A' sail	25.00
LA.010	Laser transmitter muff 'Warm and dry hands'	22.00
LA.011	Boom band	1.00
LA.012	'A' sail only	35.00
LA.013	'B' Sail only	30.00
LA.014	Tiller Arm	3.50
LA.015	Servo Arm (rudder)	1.50
LA.016	Rudder linkage (new type)	6.00
LA.017	Switch harness	2.50
LA.018	Hatch Cover	1.99
LA.019	'Rubber' switch cover	2.00
LA.020	Rudder 'blade' only	8.99

Hulls Etc

SI.001	Mallard silicon molded bow bumper			4.95
SI.002	Swallow silicon molded bow bumper			4.50
SI.003	Universal bumper, stick and carve to shape			2.00
GL.001	SP113 epoxy finishing/laminating resin, 2 pack			9.95
GL.002	0.6oz glass cloth			8.60
SI.004	TS2 bumper			6.50
Carbon Fins etc				
CF.001	One metre straight taper carbon fin, 'Nomex' core. (very stiff) 90 - 70mm by 470mm long			49.95
CR.002	One metre carbon rudder, 4mm shaft, curved L.E. & T.E.			19.95
CR.003	IOM 6% rudder for ISIS as used by Trevor Binks World Champion			42.50
AC.026	Carbon pushrod for servo to tiller 6 x 300mm			3.50
Ballasts <i>Slim skiff style design</i>				
BA.001	IOM lead ballast by K. Bits with slot from precision Alu mold			28.50
BA.002	IOM Lead ballast by Sailsetc with slot and brass rod centre			44.50
Fittings				
BF.001	Deluxe r/c Tub, light with easy 1/4turn action on lid			1.00
BF.002	Rigging screws, 3mm single end, for IOM shrouds			2.60
31b	3mm Nyloc nut for rigging screws etc (20)			3.25
BF.003	Eye bolt - 3mm	3mm x 25mm		1.20
BF.003a	Eye bolt - 3.5mm	3.5 x 25mm		1.20
38a	Eyebolt - 3.5mm x 6mm			1.05
70a	Crimps, brass medium	1.6 int dia	50/pack	3.20
70b	Crimps, brass small	1.2 int dia	50/pack	2.80
AC.015	Heat shrink 1.5mm x 300mm Ideal for small joints and crimps			0.65
BF.006	Elastic, single core 1mm (winch return)		1 metre	0.80
BF.006a	Elastic, single core 2mm (winch return)			0.90
52a	Ferrule, PTFE plastic for mast post and main sheet		6mm/dia	1.15
53	PTFE ring, fairlead for adjustable sheeting position			1.15
BF.008a	Alu mainsheet post (not adjustable)			1.25
BF.009	Sail flow grip, 10mm- 3/8"			0.90

Fittings contd:

86	Silicon drain bung for hull			0.45
BF.011	Heavy Duty double tiller arm in glass filled nylon for 4mm stock			3.25
BF.012a	Grommets, 1/4" pkt 10			1.40
BF.012b	Grommets, 5/16" pkt 10			1.60
BF.012c	Grommets, 3/8" pkt 10			1.80
65	Through deck, ball raced pulley block PKB			7.90
65b	Silicon cover for thro' deck pulley			5.00
BF.014	Single pulley block	deck mounted		5.90
BF.015	Double pulley block	deck mounted		7.00
BF.016	Single pulley block	with shackle		5.90
87b	SS hooks			3.50
87z	Sheet hook laser cut			0.95
87g	Hook laser cut			0.90
60c	Sheet guide 15mm offset			8.50
57a	Bowies Sailsetc design	2sizes/pack 10		2.20
57b	Bowies Sailsetc design	Lge 15 x 4mm 10 pkt		1.90
57c	Bowies Sailsetc design	med 12 x 3mm 10 pkt		2.40
BF.018	Crane IOM	30/50mm long		2.80
22h	Crane adjustable			2.80
23.11	Head fitting	11.1mm		1.25
23.127	Head fitting	12.7mm		1.25
BF.021	Gooseneck/kicker round mast	11.1/12.7mm		14.75
BF.021a	Gooseneck/kicker Ball raced	11.1/12.7mm		40.75
BF.022	Gooseneck/kicker groovy mast	11.1/12.7mm		13.75
21.075	Spreader kit, Low drag aero foiled section 'New'			5.60
BF.024	'O' rings	6mm	10/pack	1.50
BF.025	'O' rings	10mm	10/pack	1.25
BF.026	Threaded rod for normal duty ball link: 2 x 180mm			0.30
BF.027	Jib weight 15-35 grams			4.20
101c	10mm l/t boom end fitting for jib weight			1.75
BF.029	Aerial tube, pot to deck	500mm		0.95
BF.030	4mm SS screw and brass insert for fin attachment			3.25
144t	Mast Ram 144t			5.60
67c	Servo quick release system			6.00
89	5mm plastic ball pkt 20			1.40
Alloy Masts				
AL.001	Round Anodized (3/8" boom)	9.5mm	per metre	4.75
AL.002	Round Anodized	11mm	per 2 metre	10.25
AL.003	Round Anodized	12.8mm	per 2 metre	9.75
AL.004	Groovy mast anodized	11.1mm	per 2 metre	13.25
AL.005	Groovy mast anodized	12.7mm	per 2 metre	15.75
Boom Kits				
BM.001	Sailsetc main boom kit	355mm long		9.75
BM.002	Sailsetc jib boom kit	410mm long		12.50
BM.003	Super light jib boom kit	410mm long		13.25
120-100	Ball Raced down haul for jib 120-100			11.25
101f	Sailsetc Ftg 101f to 'plug' end of main boom saves boat damage			1.60
46-100	Boom Band with pin			1.70
101d	Fwd Headsail Ftg Sailsetc section			1.40
101c	10mm l/t boom end fitting for jib weight			1.75
101g	Headsail aft boom Ftg 10mm			1.00
104f	Clew slide lt wt boom			2.10
104e	Sheet guide adj boom			1.60
104-100	Sheet guide/fairlead 10mm lt wt boom			2.50
104a	Clew slide 'Sailsetc section'			1.80
104b	Track Slide 'Sailsetc section'			1.30
104d	Sheet attachment Sailsetc main boom			2.30
120d	Jib swivel BB Sailsetc boom			12.25
52mt	Acetal Mainsheet post with metal trunking			11.75

Rigging Etc

RI.001	0.45mm 7 strand 23kg BS S/Steel	10/metres	4.75
RI.002	0.60mm 7 strand 45kg BS S/Steel	10/metres	5.75
RI.003	50lb Dacron cord	10/metres	1.50
D25	25kg Dacron cord	20/metres	2.25
D40	40kg Dacron cord	20/metres	2.25
D30	60lb Dyneema, braided (sheets etc)	10/metres	2.80
D50	100lb Dyneema (standing/winch lines etc)	10/metres	2.80
D75	150lb Dyneema	10/metres	2.80
RI.005	Stainless steel hook wire	per metre	0.75
RI.006	Stainless steel 4mm rudder shaft	140mm	0.60
RI.007	Brass rudder tube 4mm	60mm	0.40
RI.008	Flat rigging 'wire'	10/metres	7.25

Plans, Books etc

PL.001	Mallard IOM plan		6.95
PL.002	Swallow IOM plan		5.75
BK.001	Rules Companion 2005-08 condensed, laminated and pocket size <i>Ideal for quick protest assessment</i>		7.95
BK.002	Rules in Practice Bryan Willis superbly pictorial rules book 2005-08		13.95
BK.003	R/C Racing Sailboats by Chris Jackson LOWER PRICE		12.95
BK.004	Battery Book , all you need to know about batteries. 39 pages		4.50
IS.001	Winch guidelines Futaba 5801		0.50
IS.002	Winch guidelines Hitec 725 BB		0.50
IS.003	Swallow 'update sheet		0.50

Post & packing costs

Large parcels and lead ballasts			
These are sent by City Link 24hr service	min		14.00
Radio Control Equipment >2Kg			
These are sent using Courier service giving next day, insured delivery.	up to 5Kg		12.50
R/C Equipment <2kg, Winches, Servos			
These are sent using the Post Office 'special delivery' service giving next day, insured delivery.			8.50
Batteries			
Normally sent first class post	add 75p/pack		2.00
Accessories & Plans			
Small accessories and fittings are normally sent by first class post up to 25mm thick			1.75
Masts			
Up to 2000mm long and 4 masts			18.50
Books			
Rule books. Sailing books etc			3.95
			<i>High value items can be sent first class at your own risk</i>
Payment methods			
Cheque	Please send a crossed cheque or postal order, made payable to: K. Bits. with your order.		
C/ Cards	Payment can be made by Visa/MasterCard/Switch at no additional cost.		
Visiting K. Bits..?			
	<i>In exceptional circumstances orders may be picked up by prior arrangement .</i>		
	Please note that K. Bits. is mail order only, without retail premises (shop), goods are not on display. Business hours are 9-6pm Monday-Friday for orders by telephone or fax. 44 (0) 1323 725817		
	<i>Email anytime on kenbinks@kbits.co.uk</i>		
	<i>Being a small business means we are often unavailable, busy taking orders, packing or manufacturing components.</i>		
	<i>Please leave a telephone order or message and we WILL get back to you .</i>		
NOTE:	<i>Rates apply to United Kingdom only (excluding N. Ireland, IOM, IOW)</i> <i>Telephone for details for other Locations</i>		
	<i>Reg: Addr: K Bits.. Radio Sailing</i> <i>20 Queens Road</i> <i>Eastbourne</i> <i>BN23 6JT</i> <i>United Kingdom</i> <i>K Bits..VAT Reg No is: 823 6805 26</i>		